

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/573,130A
Source: IFW
Date Processed by STIC: 8/29/06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFWO

RAW SEQUENCE LISTING

DATE: 08/29/2006

PATENT APPLICATION: US/10/573,130A

TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt

Output Set: N:\CRF4\08292006\J573130A.raw

3 <110> APPLICANT: Sturmer, Rainer
 4 Kessler, Maria
 5 Hauer, Bernhard
 6 Friedrich, Thomas
 7 Breuer, Michael
 9 <120> TITLE OF INVENTION: Methods for the production of
 10 3-methylamino-1-(thiene-2-yl)-propane-1-ol
 12 <130> FILE REFERENCE: 13111-00035-US
 14 <140> CURRENT APPLICATION NUMBER: US/10/573,130A
 15 <141> CURRENT FILING DATE: 2006-03-23
 17 <150> PRIOR APPLICATION NUMBER: PCT/EP2004/010939
 18 <151> PRIOR FILING DATE: 2004-09-30
 20 <150> PRIOR APPLICATION NUMBER: DE 103 45 772.0
 21 <151> PRIOR FILING DATE: 2003-10-01
 23 <160> NUMBER OF SEQ ID NOS: 44
 25 <170> SOFTWARE: PatentIn version 3.3
 28 <210> SEQ ID NO: 1
 30 <211> LENGTH: 47
 32 <212> TYPE: PRT
 34 <213> ORGANISM: Lactobacillus brevis
 37 <400> SEQUENCE: 1
 39 Met Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr
 40 1 5 10 15
 43 Leu Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala
 44 20 25 30
 47 Lys Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala
 48 35 40 45
 51 <210> SEQ ID NO: 2
 53 <211> LENGTH: 18
 55 <212> TYPE: PRT
 57 <213> ORGANISM: Candida magnoliae
 60 <400> SEQUENCE: 2
 62 Ser Asn Ala Leu Val Thr Gly Gly Ser Arg Val Ile Gly Ala Gly Gly
 63 1 5 10 15
 66 Phe Ile
 70 <210> SEQ ID NO: 3
 72 <211> LENGTH: 756
 74 <212> TYPE: DNA
 76 <213> ORGANISM: Lactobacillus brevis
 79 <220> FEATURE:
 81 <221> NAME/KEY: CDS
 83 <222> LOCATION: (1)..(756)
 86 <400> SEQUENCE: 3

Does Not Comply
Corrected Diskette Needed

see pp 6, 8

RAW SEQUENCE LISTING

DATE: 08/29/2006

PATENT APPLICATION: US/10/573,130A

TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt

Output Set: N:\CRF4\08292006\J573130A.raw

```

87 atg tct aac cgt ttg gat gga aaa gta gca atc gtt aca ggt ggt acg      48
88 Met Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr
89 1          5          10          15
91 ttg ggt atc ggt tta gct atc gcc acg aag ttc gtt gaa gaa ggg gct      96
92 Leu Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala
93          20          25          30
95 aag gtc atg att acc ggc cgg cac agc gat gtt ggt gaa aaa gca gct      144
96 Lys Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala Ala
97          35          40          45
99 aag agt gtc ggc act cct gat cag att caa ttt ttc caa cat gat tct      192
100 Lys Ser Val Gly Thr Pro Asp Gln Ile Gln Phe Phe Gln His Asp Ser
101          50          55          60
103 tcc gat gaa gac ggc tgg acg aaa tta ttc gat gca acg gaa aaa gcc      240
104 Ser Asp Glu Asp Gly Trp Thr Lys Leu Phe Asp Ala Thr Glu Lys Ala
105 65          70          75          80
107 ttt ggc cca gtt tct aca tta gtt aat aac gct ggg atc gcg gtt aac      288
108 Phe Gly Pro Val Ser Thr Leu Val Asn Asn Ala Gly Ile Ala Val Asn
109          85          90          95
111 aag agt gtc gaa gaa acc acg act gct gaa tgg cgt aaa cta tta gcc      336
112 Lys Ser Val Glu Glu Thr Thr Thr Ala Glu Trp Arg Lys Leu Leu Ala
113          100          105          110
115 gtc aac ctt gat ggt gtc ttc ttc ggt acc cga tta ggg att caa cgg      384
116 Val Asn Leu Asp Gly Val Phe Phe Gly Thr Arg Leu Gly Ile Gln Arg
117          115          120          125
119 atg aag aac aaa ggc tta ggg gct tcc atc atc aac atg tct tcg atc      432
120 Met Lys Asn Lys Gly Leu Gly Ala Ser Ile Ile Asn Met Ser Ser Ile
121          130          135          140
123 gaa ggc ttt gtg ggt gat cct agc tta ggg gct tac aac gca tct aaa      480
124 Glu Gly Phe Val Gly Asp Pro Ser Leu Gly Ala Tyr Asn Ala Ser Lys
125 145          150          155          160
127 ggg gcc gta cgg att atg tcc aag tca gct gcc tta gat tgt gcc cta      528
128 Gly Ala Val Arg Ile Met Ser Lys Ser Ala Ala Leu Asp Cys Ala Leu
129          165          170          175
131 aag gac tac gat gtt cgg gta aac act gtt cac cct ggc tac atc aag      576
132 Lys Asp Tyr Asp Val Arg Val Asn Thr Val His Pro Gly Tyr Ile Lys
133          180          185          190
135 aca cca ttg gtt gat gac cta cca ggg gcc gaa gaa gcg atg tca caa      624
136 Thr Pro Leu Val Asp Asp Leu Pro Gly Ala Glu Glu Ala Met Ser Gln
137          195          200          205
139 cgg acc aag acg cca atg ggc cat atc ggt gaa cct aac gat att gcc      672
140 Arg Thr Lys Thr Pro Met Gly His Ile Gly Glu Pro Asn Asp Ile Ala
141          210          215          220
143 tac atc tgt gtt tac ttg gct tct aac gaa tct aaa ttt gca acg ggt      720
144 Tyr Ile Cys Val Tyr Leu Ala Ser Asn Glu Ser Lys Phe Ala Thr Gly
145 225          230          235          240
147 tct gaa ttt gta gtt gac ggt ggc tac act gct caa      756
148 Ser Glu Phe Val Val Asp Gly Gly Tyr Thr Ala Gln
149          245          250
152 <210> SEQ ID NO: 4

```

RAW SEQUENCE LISTING

DATE: 08/29/2006

PATENT APPLICATION: US/10/573,130A

TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt

Output Set: N:\CRF4\08292006\J573130A.raw

154 <211> LENGTH: 252

156 <212> TYPE: PRT

158 <213> ORGANISM: Lactobacillus brevis

161 <400> SEQUENCE: 4

163 Met Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr

164 1 5 10 15

167 Leu Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala

168 20 25 30

171 Lys Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala Ala

172 35 40 45

175 Lys Ser Val Gly Thr Pro Asp Gln Ile Gln Phe Phe Gln His Asp Ser

176 50 55 60

179 Ser Asp Glu Asp Gly Trp Thr Lys Leu Phe Asp Ala Thr Glu Lys Ala

180 65 70 75 80

183 Phe Gly Pro Val Ser Thr Leu Val Asn Asn Ala Gly Ile Ala Val Asn

184 85 90 95

187 Lys Ser Val Glu Glu Thr Thr Thr Ala Glu Trp Arg Lys Leu Leu Ala

188 100 105 110

191 Val Asn Leu Asp Gly Val Phe Phe Gly Thr Arg Leu Gly Ile Gln Arg

192 115 120 125

195 Met Lys Asn Lys Gly Leu Gly Ala Ser Ile Ile Asn Met Ser Ser Ile

196 130 135 140

199 Glu Gly Phe Val Gly Asp Pro Ser Leu Gly Ala Tyr Asn Ala Ser Lys

200 145 150 155 160

203 Gly Ala Val Arg Ile Met Ser Lys Ser Ala Ala Leu Asp Cys Ala Leu

204 165 170 175

207 Lys Asp Tyr Asp Val Arg Val Asn Thr Val His Pro Gly Tyr Ile Lys

208 180 185 190

211 Thr Pro Leu Val Asp Asp Leu Pro Gly Ala Glu Glu Ala Met Ser Gln

212 195 200 205

215 Arg Thr Lys Thr Pro Met Gly His Ile Gly Glu Pro Asn Asp Ile Ala

216 210 215 220

219 Tyr Ile Cys Val Tyr Leu Ala Ser Asn Glu Ser Lys Phe Ala Thr Gly

220 225 230 235 240

223 Ser Glu Phe Val Val Asp Gly Gly Tyr Thr Ala Gln

224 245 250

227 <210> SEQ ID NO: 5

229 <211> LENGTH: 472

231 <212> TYPE: DNA

233 <213> ORGANISM: Candida magnoliae

236 <220> FEATURE:

238 <221> NAME/KEY: CDS

240 <222> LOCATION: (1)..(471)

243 <400> SEQUENCE: 5

244 aac gcg ctg gtg acg ggc ggc agc cgc ggc att ggc gaa gcc act gcc 48

245 Asn Ala Leu Val Thr Gly Gly Ser Arg Gly Ile Gly Glu Ala Thr Ala

246 1 5 10 15

248 att aag ctc gcc gag gag ggc tac agc gtc acg att gcg tct cgc ggc 96

249 Ile Lys Leu Ala Glu Glu Gly Tyr Ser Val Thr Ile Ala Ser Arg Gly

RAW SEQUENCE LISTING

DATE: 08/29/2006

PATENT APPLICATION: US/10/573,130A

TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt

Output Set: N:\CRF4\08292006\J573130A.raw

```

250          20          25          30
252 ctt aag cag ctc gag gct gtg aag gcc aaa cta ccc att gtg aag cag      144
253 Leu Lys Gln Leu Glu Ala Val Lys Ala Lys Leu Pro Ile Val Lys Gln
254          35          40          45
256 gga cag gtt cac cac gtg tgg cag ctt gat ctc agt gat gtc gac gct      192
257 Gly Gln Val His His Val Trp Gln Leu Asp Leu Ser Asp Val Asp Ala
258          50          55          60
260 gcg gcc gcc ttc aaa ggg tcg ccg cta cct gcc agc cgc tac gac gtg      240
261 Ala Ala Ala Phe Lys Gly Ser Pro Leu Pro Ala Ser Arg Tyr Asp Val
262 65          70          75          80
264 ctc gtc agc aat gct ggc gtg gcc cag ttt agc ccg ttc atc gag cat      288
265 Leu Val Ser Asn Ala Gly Val Ala Gln Phe Ser Pro Phe Ile Glu His
266          85          90          95
268 gcg aag cag gac tgg tcg cag atg ctt gcc atc aat ctg gcg gca ccc      336
269 Ala Lys Gln Asp Trp Ser Gln Met Leu Ala Ile Asn Leu Ala Ala Pro
270          100          105          110
272 att gcg ctg gcc cag aca ttt gct aag gcc att ggc gac aag ccg cgc      384
273 Ile Ala Leu Ala Gln Thr Phe Ala Lys Ala Ile Gly Asp Lys Pro Arg
274          115          120          125
276 aac aca ccg gcc cac att gtg ttt gtc tcg tcg aac gtc tcg ttg cga      432
277 Asn Thr Pro Ala His Ile Val Phe Val Ser Ser Asn Val Ser Leu Arg
278          130          135          140
280 ggc ttc ccg aac atc ggc gtc aac tcc atc acc ccc ggc a      472
281 Gly Phe Pro Asn Ile Gly Val Asn Ser Ile Thr Pro Gly
282 145          150          155
285 <210> SEQ ID NO: 6
287 <211> LENGTH: 157
289 <212> TYPE: PRT
291 <213> ORGANISM: Candida magnoliae
294 <400> SEQUENCE: 6
296 Asn Ala Leu Val Thr Gly Gly Ser Arg Gly Ile Gly Glu Ala Thr Ala
297 1          5          10          15
300 Ile Lys Leu Ala Glu Glu Gly Tyr Ser Val Thr Ile Ala Ser Arg Gly
301          20          25          30
304 Leu Lys Gln Leu Glu Ala Val Lys Ala Lys Leu Pro Ile Val Lys Gln
305          35          40          45
308 Gly Gln Val His His Val Trp Gln Leu Asp Leu Ser Asp Val Asp Ala
309          50          55          60
312 Ala Ala Ala Phe Lys Gly Ser Pro Leu Pro Ala Ser Arg Tyr Asp Val
313 65          70          75          80
316 Leu Val Ser Asn Ala Gly Val Ala Gln Phe Ser Pro Phe Ile Glu His
317          85          90          95
320 Ala Lys Gln Asp Trp Ser Gln Met Leu Ala Ile Asn Leu Ala Ala Pro
321          100          105          110
324 Ile Ala Leu Ala Gln Thr Phe Ala Lys Ala Ile Gly Asp Lys Pro Arg
325          115          120          125
328 Asn Thr Pro Ala His Ile Val Phe Val Ser Ser Asn Val Ser Leu Arg
329          130          135          140
332 Gly Phe Pro Asn Ile Gly Val Asn Ser Ile Thr Pro Gly

```

RAW SEQUENCE LISTING

DATE: 08/29/2006

PATENT APPLICATION: US/10/573,130A

TIME: 08:46:39

Input Set : A:\Substitute Sequence List-13111-00035-US.txt

Output Set: N:\CRF4\08292006\J573130A.raw

```

333 145          150          155
337 <210> SEQ ID NO: 7
338 <211> LENGTH: 27
339 <212> TYPE: DNA
340 <213> ORGANISM: Artificial sequence
342 <220> FEATURE:
343 <223> OTHER INFORMATION: Primer: Mke 338
345 <400> SEQUENCE: 7
346 gggaattcca tatgtctaac cgtttg      27
349 <210> SEQ ID NO: 8
350 <211> LENGTH: 28
351 <212> TYPE: DNA
352 <213> ORGANISM: Artificial sequence
354 <220> FEATURE:
355 <223> OTHER INFORMATION: Primer: Mke 339
357 <400> SEQUENCE: 8
358 cgtagggaag cttattgagc agtgtagc      28
361 <210> SEQ ID NO: 9
362 <211> LENGTH: 28
363 <212> TYPE: DNA
364 <213> ORGANISM: Artificial sequence
366 <220> FEATURE:
367 <223> OTHER INFORMATION: Primer: Mke 366
369 <400> SEQUENCE: 9
370 acgacgacga gcaacgcbct bgtbacgg      28
373 <210> SEQ ID NO: 10
374 <211> LENGTH: 28
375 <212> TYPE: DNA
376 <213> ORGANISM: Artificial sequence
378 <220> FEATURE:
379 <223> OTHER INFORMATION: Primer: Mke 367
381 <400> SEQUENCE: 10
382 acgacgacgt cgaacgcbct bgtbacgg      28
385 <210> SEQ ID NO: 11
386 <211> LENGTH: 27
387 <212> TYPE: DNA
388 <213> ORGANISM: Artificial sequence
390 <220> FEATURE:
391 <223> OTHER INFORMATION: Primer: Mke 374
393 <400> SEQUENCE: 11
394 gccgggggtg atsswgtsa cgccgat      27
397 <210> SEQ ID NO: 12
398 <211> LENGTH: 10
399 <212> TYPE: PRT
400 <213> ORGANISM: Lactobacillus brevis
403 <220> FEATURE:
404 <221> NAME/KEY: MISC_FEATURE
405 <222> LOCATION: (1)..(10)
406 <223> OTHER INFORMATION: Fragment: C terminus

```

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/573,130A

DATE: 08/29/2006
TIME: 08:46:40

FYI

Input Set : A:\Substitute Sequence List-13111-00035-US.txt
Output Set: N:\CRF4\08292006\J573130A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:15; Xaa Pos. 60
Seq#:16; Xaa Pos. 19,20
Seq#:17; Xaa Pos. 12,13,14,15
Seq#:18; Xaa Pos. 8
Seq#:19; Xaa Pos. 9,11,12,13,14,15
Seq#:22; Xaa Pos. 6,10,11,12,13,14,15
Seq#:23; Xaa Pos. 6,12,15,16,17,18
Seq#:24; Xaa Pos. 6,10,11,12,13,14,15,16,17
Seq#:25; Xaa Pos. 16,17,18,19,20
Seq#:26; Xaa Pos. 1,3
Seq#:27; Xaa Pos. 9,13
Seq#:28; Xaa Pos. 7,17,18,19,20
Seq#:30; Xaa Pos. 1,10,11,12,13,14,15,16,17,18,19,20
Seq#:32; Xaa Pos. 29,30
Seq#:33; Xaa Pos. 5,6,7,8,9,10
Seq#:34; Xaa Pos. 3,13,14,15,16,17,18,19,20
Seq#:35; Xaa Pos. 11,12,13,14
Seq#:36; Xaa Pos. 1
Seq#:40; Xaa Pos. 1
Seq#:41; Xaa Pos. 2,39,40
Seq#:42; Xaa Pos. 37,38,39
Seq#:43; Xaa Pos. 12,13,14,15
Seq#:44; Xaa Pos. 13,14,15

VERIFICATION SUMMARY

DATE: 08/29/2006

PATENT APPLICATION: US/10/573,130A

TIME: 08:46:40

Input Set : A:\Substitute Sequence List-13111-00035-US.txt

Output Set: N:\CRF4\08292006\J573130A.raw

L:496 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:48
L:596 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:16
L:617 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:634 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:705 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:800 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:897 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
M:341 Repeated in SeqNo=23
L:923 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
M:341 Repeated in SeqNo=24
L:944 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
M:341 Repeated in SeqNo=25
L:970 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:1057 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:1154 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
M:341 Repeated in SeqNo=28
L:1320 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
M:341 Repeated in SeqNo=30
L:1554 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:16
L:1571 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:1632 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
M:341 Repeated in SeqNo=34
L:1653 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
L:1685 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
L:1815 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:0
L:1845 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:41 after pos.:0
M:341 Repeated in SeqNo=41
L:1987 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:32
L:2004 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:43 after pos.:0
L:2066 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44 after pos.:0

<210> 15
 <211> 60
 <212> PRT
 <213> Lactobacillus brevis

<220>
 <221> VARIANT
 <222> (47)..(47)
 <223> Amino acid is Ala or Lys

"Ala" at location 47 can only represent itself.

<220>
 <221> UNSURE
 <222> (48)..(48)
 <223> Amino acid is Lys or Ala

same error

Use Xaa,
 instead, and
 explain in

<220>
 <221> VARIANT
 <222> (53)..(53)
 <223> Amino acid is Pro or Thr

same error

<2207-2237
 section

<220>
 <221> VARIANT
 <222> (59)..(59)
 <223> Amino acid is Phe, Val, Gly, or Asn

same error

<220>
 <221> misc_feature
 <222> (60)..(60)
 <223> Xaa is unknown

OK

<400> 15

Ser Asn Arg Leu Asp Gly Lys Val Ala Ile Val Thr Gly Gly Thr Leu
 1 5 10 15

Gly Ile Gly Leu Ala Ile Ala Thr Lys Phe Val Glu Glu Gly Ala Lys
 20 25 30

Val Met Ile Thr Gly Arg His Ser Asp Val Gly Glu Lys Ala Ala Lys
 35 40 45

Ser Val Gly Thr Pro Asp Gln Ile Gln Phe Phe Xaa
 50 55 60

These types of errors appear in sequence 16 and other subsequent sequences